

Message

From: Robinson, Valois [Robinson.Valois@epa.gov]
Sent: 6/28/2020 3:59:40 PM
To: Arnold, Rick [Arnold.Rick@epa.gov]
CC: Ranalli, Anthony [Ranalli.Anthony@epa.gov]
Subject: RE: ~ Deliberative ~ Pre-Decisional ~ Plan for assessing compliance at the AE boundary

Thanks for looking this over and providing your thoughts.

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov

From: Arnold, Rick <Arnold.Rick@epa.gov>
Sent: Thursday, June 25, 2020 4:05 PM
To: Robinson, Valois <Robinson.Valois@epa.gov>
Cc: Ranalli, Anthony <Ranalli.Anthony@epa.gov>
Subject: RE: ~ Deliberative ~ Pre-Decisional ~ Plan for assessing compliance at the AE boundary

Hi Valois,

Attached is a copy of the table with my comments.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Please let me know what you and Tony think.

From: Robinson, Valois <Robinson.Valois@epa.gov>

Sent: Thursday, June 25, 2020 1:16 PM

To: Arnold, Rick <Arnold.Rick@epa.gov>

Cc: Ranalli, Anthony <Ranalli.Anthony@epa.gov>

Subject: ~ Deliberative ~ Pre-Decisional ~ Plan for assessing compliance at the AE boundary

Hi Rick,
mornin

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Then we will send it to Douglas and Lucita for their input before

sending it to Sarah.

Tony, I included you in case you have any thoughts related to this topic.

Thanks!

Ex. 5 Deliberative Process (DP)

Valois

Valois Robinson

EPA Region 8

Underground Injection Control Program

MailCode: 8WD-SDU

1595 Wynkoop Street

Denver, CO 80202-1129

(303) 312-6276

robinson.valois@epa.gov